# United States Department of the Interior National Park Service

# National Register of Historic Places Registration Form

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in National Register Bulletin, How to Complete the National Register of Historic Places Registration Form. If any item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional certification comments, entries, and narrative items on continuation sheets if needed (NPS Form 10-900a).

1. Name of Property	
historic name Jackson, Lowell E. and Paula G., House	
other names/site number House of Tile	-
2. Location	
street & number 2935 Ridge Road	not for publication
city or town Long Beach	vicinity
state Indiana code IN county LaPorte code	091 zip code <u>46360</u>
3. State/Federal Agency Certification	
As the designated authority under the National Historic Preservation Act, as amer I hereby certify that this _x_ nomination request for determination of eligibilit for registering properties in the National Register of Historic Places and meets the requirements set forth in 36 CFR Part 60.  In my opinion, the property _x_ meets does not meet the National Register be considered significant at the following level(s) of significance: national statewide local  Signature of certifying official/Title Date  Indiana DNR-Division of Historic Preservation &  Archaeology  State or Federal agency/bureau or Tribal Government	ry meets the documentation standards e procedural and professional  Criteria. I recommend that this property
In my opinion, the property meets does not meet the National Register criteria.	
Signature of commenting official Date	
Title State or Federal agency/bureau	or Tribal Government
4. National Park Service Certification	
I hereby certify that this property is:	
entered in the National Register determined eligib	ole for the National Register
determined not eligible for the National Register removed from the	e National Register
other (explain:)	
Signature of the Keeper Date of	f Action

United States Department of the interior

# National Register of Historic Places Registration Form

The term of the page is not the engineering department of the property and of the following to the place to the property of th

Name of Property	
in my ceinlon, the property of order itset rat most the Malanda Register Cateria   response to that the property of agrificance of considered objections at the following feveral) of agrificance:	

(Expires 5/31/2012)

Jackson House Name of Property			LaPorte Count County and State	y, IN		
5. Classification						
Ownership of Property (Check as many boxes as apply.)	Category of Property (Check only one box.)	Number of Res (Do not include prev	ources within Proposition of the courses in the course of the course	erty the count.)		
		Contributing	Noncontributing	7-0-7		
x private	x building(s)	1	0	_ buildings		
public - Local	district	0	0	_ district		
public - State	site	1	0	_ site		
public - Federal	structure	0	0	_ structure		
	object	0	0	_ object		
		2	0	_ Total		
Name of related multiple pro (Enter "N/A" if property is not part of a	perty listing multiple property listing)	Number of con listed in the Na	tributing resources tional Register	previously		
John Lloyd Wright in Nor	thwest Indiana		0			
6. Function or Use						
Historic Functions (Enter categories from instructions.)	Current Functions (Enter categories from instructions.)					
DOMESTIC: single dwelling	DOMESTIC: single dwelling					
\(\sigma\)						
		the state of the s				
7. Description						
Architectural Classification (Enter categories from instructions.)		<b>Materials</b> (Enter categories f	rom instructions.)			
MODERN MOVEMENT: Inter	national Style	foundation: _C	CONCRETE			
		- A	COTTA			
	4		): Weatherboard			
		roof: SYNTHETICS: Rubber				
2		other:				
		<u>(j</u>				
Narrative Description			30			

(Emphasile particula)

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN County and State

(Describe the historic and current physical appearance of the property. Explain contributing and noncontributing resources if necessary. Begin with a summary paragraph that briefly describes the general characteristics of the property, such as its location, setting, size, and significant features.)

# **Summary Paragraph**

The Lowell Jackson House is one of the finest residential examples of the International Style created by John Lloyd Wright during his career in Long Beach, Indiana. The son of famous architect Frank Lloyd Wright came to design prominence in his own right as he developed his own design philosophy in the exclusive lake community of northwest Indiana. Created in 1938, the house sometimes referred to as the "House of Tile" exhibits the architect's skill and creativity in creating spaces and the use of materials. The house is remarkably well-preserved and combined with Wright's treatment of the site, also considered a contributing resource to the property, is a wonderfully intact example of this architect's work.

### **Narrative Description**

In 1938 Lowell E. Jackson, a division manager for Sears, Roebuck & Co., contracted with John Lloyd Wright to design a vacation home in Long Beach. The Jackson House is located on a sand dune ridge inland from Lake Michigan and faces northwest on Ridge Road. It is a modest size home carved carefully into the terrain with mature, mostly native, landscaping surrounding it. The grade has a slight rise between the lower level of the house and the road which creates the front lawn. The house is nestled into the ridge to allow the upper level to access the rear (south part) of the property at grade, which creates a rear patio space. An asphalt drive leads from the road to a carport in the west end of the house.

The house's site contributes to its significance as an example of John Lloyd Wright's work. Wright shaped the house into the site's dune ridge. The home's connection to the site is strengthened by the wing walls and staircases that are extensions of the house carved into the dune. This interplay between the house and site makes the house lot a contributing site.

Exterior (photos 0001-0003)

The house is constructed with 12" square clay tiles in a buff color and horizontal clapboard siding that has been painted olive green. The tiled walls are a feature on both the interior and exterior of the house, giving the house its nickname. The facades are arranged fairly simply forming a boxy appearance to the house, particularly when viewed from its front façade. Windows are mostly new casement windows that are metal clad on their exterior, but they fit the original openings and style of the original windows; the windows are framed with simple wood casings that are original. The roof is a mono-slope plane with a gradual fall to the rear of the house. A tall wood trim board is located just below the eaves at the top of the walls around the perimeter of the house.

The front (north) façade (photo 0001) is divided into layers and parts mostly by the architect's use of materials. The east half of the façade has a two story window bay framed by tiled wing walls. The bay has a base with wood siding and a flat roof set just below the height of the main roof. The bay is divided into three tall original windows in wood frames. The outside two windows have a pair of casement windows in their bottom thirds. West of the window bay's tiled wing wall tiles cover the lower level wall; a group of three casement windows are centered in this part of the façade. A carport is located in the west half of this lower level; its interior walls are also composed of tiles. The carport's rear wall has a pair of metal clad patio doors and the main door of the house is located on the carport's east wall. The main door is a two-panel wood door with a window in its top half. A tiled pilaster forms the west end of the front façade and supports the northwest corner of the house and a balcony above. The balcony separates the lower level and upper level of the front façade's west half. The balcony's walls are solid and are covered with wood clapboards and a wood cap. The balcony extends north from the front façade approximately four feet and wraps around the west side of the house.

The upper level of the west half of the front façade is also covered in wood clapboards. A tall wood trim board is located at the top of the front façade wall and continues above the window bay at the roof eave line. A narrow original wood window separates the west tiled wing wall of the two story window bay from the wood clapboards which gives the appearance the bay is separated from the remaining front façade. A pair of metal clad patio doors is located in the east half of the upper level's wall to provide access to the balcony.

The west façade (photo 0002) has the south portion of its lower level partially covered by earth. The façade's lower level walls are covered in tiles and its upper level walls are covered in clapboards. The north half of the lower level is open to

(ST 1954 D.T auction)

Jackson Plouse

LePorts County, IA County and State

(Describe the historic and current physical appearance of the property. Exciain contributing and noncontributing resources if necessary. Begin with a currently paragraph that briefly describes the general characteristics of the property, such as its location, enting, size, and significant features.)

### Summuny Paragraph

The Lowell Jackson House is one of the finest residential exemples of the International Style created by John Lloyd Wright during his career in Long Basch, Indiana. The son of famous anchiest Frunk Lloyd Wright came to design prominence in his own right as he developed his own design philosophy in the excitative lake community of northwest Indiana. Created in 1936, the house sometimes retend to as the "House of Tile" explaits the architect's skill and creativity in creating spaces and the use of materials. The house is remarkably well-preserved and combined with Wright's treatment of the site, also considered a contributing resource to the property, is a wonderfully intext example of this architect's work.

### Nervative Description

In 1958 Lowell E. Jackson, a division manager for Saars, Roebuck & Co., contracted with John Doyd World to design a vacation name in Long Beach. The Jackson House is located on a send dime ridge lotand from Late Micrigan and foces northwest on Ridge Road. It is a modest size home carved oursibly into the terrain with meture, mostly netve, tendenceping surrounding it. The grade has a slight rise between the fower level of the house and the road which create the road which create a road part of the property at grade, which prevents a road patio apares. An aspiral drive leads from the road to a carport in the west and of the house.

The house's site contributes to its significance as an example of John Lloyd Wright a work. Whight shaped the house into the site's duna ridge. This home: a connection to the cite is attenginered by the wing waits and staticages that are extensions of the house carved into the dune. This interplay between the house and site makes the house lot a contributing site.

#### Const teleplet 1000 10000 Tenes C

The house is constructed with 12" requere day tiles to a built calculant displant elaphorat siding that has been peinted alive green. The field walls are a feature on buth ine interior and extends of the house, giving the house its nickname. The facedes are amonged fairly simply ferming a body appearance to the house, perticularly when viewed from its front facede. Whintows are mostly new basement windows that are metal clad on their extend, but they fit his original openings and appearance of the windows sen framed with simple wood castings that are original. The mod is a mono-slope plane with a gradual fall to the next of the house. A tall wood thin board is located just below the waves at the top of the watte around the perimeter of the house.

The front (north) lagade (photo 0001) is divided into layers and per's mostly by the stocilect's use of materials. The east test of tire lagade has a two story window bey trained by filed wing walls. The bay has a base with wood siding and a flat most ver light below the height of the main root. The bay is divided into three will original windows in wood frames. The outside two windows travel wall, a group of three desement windows are currend in this part of the window bay's tiled wing wall files for the lower level; a group of three desement windows are currend in this part of the lagoda. A carport is located in the west half of this lower level; its intentor walls at a sec composed of tiles. The carport's near wall trust a pair of moisel door with a wandow in its top half. A filed pilester forms the west end of the front tagede and supports the northwest comes of the nouse and a balancy above. The balancy separates the lower level and upper level of the front tagede a wast half. The balancy's walls are valid and are covered with wood clubboards and a wood one. The balancy extends north front the balancy's walls are valid and are covered with wood clubboards and a wood one. The balancy extends north front the balancy are pair out facede approximately four height and wast side of the horse.

The upper level of the west half of the front lacede is also covered in wood displacants. A full wood trim beard is located at the top of the translation fugade well and continues above the window bay at the root wave line. A narrow original wood window separates, the west tiled using wall of the two story window bay from the wood olsphoards which gives the appearance the bay is expensive from the remaining front fogular. A pair of metal clad path cours is located in the cast half of the upper level's well to provide excess to the before.

The west façade (photo 0002) has the south portion of its lower level partially covered by earth. The logistic lower level to per level wast are covered in disphosids. The north half of the lower level is open to

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN
County and State

the carport and has a tiled retaining wall that forms a space for concrete steps to access the rear of the property. The balcony also returns onto the west façade from the front; its western edge is supported underneath by narrow steel posts. The upper level of the west façade has three pairs of casement windows and two individual casement windows. The two individual casement windows are located between the middle and north pairs of casement windows.

The south façade (photo 0003) has a similar arrangement to the front façade, but is mostly one story above grade. The east half of the façade has tiled wing walls that frame a wood wall divided into three main openings. The middle opening is a wide wood patio door that is original with a metal storm door on the exterior of the opening. On each side of the door is a vertical opening divided by a lower wood window (original) in its lower half and a pair of casement windows in its upper half. This half of the façade is covered by a flat roof supported by the tiled wing walls; the roof is slightly below the main roof of the house and projects southward from the façade. The west half of the south façade has a partially exposed lower level whose walls are covered in tiles. A Chicago style window with a center picture window and side casement windows is located in the west half of the lower level's wall. The upper level is covered with clapboards. A tall wood window separates the clapboard wall from the tiled west wing wall. A pair of casement windows is centered in the clapboard wall. A concrete patio is located in front of the east half of the façade with a concrete sidewalk connecting the steps on the west façade with the patio.

The east façade also has a partially exposed lower level at its north end. The east façade is entirely covered in tiles. The south third of the façade has tiled wing walls that frame a five panel wood door at the south end and a large wood picture window in the remaining area between the wing walls. A tiled wall is located under the picture window and a metal storm door is on the exterior of the patio door. A flat roof projecting eastward from the façade is supported by the tiled wing walls, similar to the south façade. A concrete patio is located in front of the south third of the façade.

Interior (photos 0004-0012)

The interior of the house is divided into three levels: the lower and upper levels, and a small mid-level. From the main public space all three levels can be viewed at the same time (see photos 0009-0011). The entry foyer of the house is located off the carport; it has a lower ceiling and a tiled floor. A kitchen is located off the north wall of the foyer and a large study is located off the southwest corner of the foyer (to the south of the carport). A closet is located in the south half of the east wall; the north half of the east wall is open to the main public area that is two stories tall. The south and east walls of the foyer are tiled. The tiled floor extends into the main living area as a path that leads to three steps that access the mid level (photo 0004).

The main public living area is a two story volume divided into three parts. There is a sitting area in the northern third of the space at the main level (background of photo 0009 and middle of photo 0004), a dining area with fireplace and bookshelves centered in the space at the mid level (mid-ground of photo 0009 and lower half of photo 0011), and another sitting area in the southern third of the space at the second level (background of photo 0008 and foreground of photo 0009). All of the interior walls of the main living area are covered in tiles. The north wall has the two story window bay; it has plaster finish on the wall below the windows. The south wall has the patio door and windows at the second level sitting area (middle of photo 0008). The east wall has the exterior door at the second level sitting room with large picture windows high in the wall above a set of steps from the mid level to the second level (left side of photo 0008).

A half wall, also tiled, separates the main level from the mid level and the mid level from the second level (seen in photo 0009). A tiled half wall also forms the outside wall of the staircase, which has nine steps, to the second level (photo 0010). The tops of the tiled half walls are formed without caps, but have bull-nosed tiles that form the top course of the wall. The west wall of the main living area is a half wall that forms a balcony separating the public space from the private bedroom area. The balcony wall is solid and is composed of wood panels (upper left hand corner of photo 0009). The northern end of the balcony has a large window above its wall to separate a bedroom from the sitting area below (upper left hand corner of photo 0009). The mid level dining space has maybe the most architectural features in the space. A fireplace is located in the west wall at its intersection with the dining space's south wall. The fireplace has a tiled hearth and its chimney is also tiled in the same tiles the walls are constructed from (photo 0011). The south wall of the dining space has built-in wood book shelves that are framed with a wide piece of wood trim. The built in shelving extends to the south wall's intersection with the dining space's east wall (seen on right side of photo 0010). The floors throughout the main living area are covered with new wood flooring. Ceilings throughout the house are covered in plaster.

The kitchen is a narrow room with tiles walls and new wood flooring. The original metal cabinets are located along the east wall of the kitchen (photo 0005). The study, located south of the carport, has tiled exterior walls and built-in closets and bookshelves all trimmed in wood on its east wall. A modern bathroom is located off the southeast corner of the study and the flooring throughout the study and bath is porcelain tile. See photo 0006.

Committee Assistante

seast nontant.

the carport and has a filed recalling will that forms a space for concrete stape to access the rear of the property. The balcony sixo returns onto the west feçade from the front, its weatern edge is supported updernostin by narrow steel posts. The upper level of the west feçade has three pairs of casement windows and two individual casement windows. The two individual casement windows are focused between the middle and north pairs of casement windows.

The sount topade (photo 000%) has a sinilar arrangement to the front repade, but is mostly one stary above grade. The east half of the lagade has filed wing wells that frame a wood wall divided into three main openings. The middle opening is a wate wood patig door that is engined with a metal storm door on the aderior of the opening. On each side of the door is a vertical opening divided by a lower vect violate (ungine) in its tower half and a pair of casement windows in its upber half. This half of the façade is covered by a fiel not supported by the filed wing walls; the roof is alignity below the main roof of the house and projects continued from the lagade. The west half of the south façade has a partially exacted lower level window with a denter plature window and side casement windows it lacested in the four lower lower well. The upper level is opvered with placeboard. A tall wood window separates the discharge that half of the four of the east wing wall. A pair of casement windows is centered in the chaptered well. A concrete patio is located in front of the east half of the façade with a concrete sidewalk connecting the styps on the west facults with the patio.

The east façade also has a perfisity exposed lower level at its north end. The east foçade is entirely overed in tiles. The south third of the façade has filled wing walls that frame a five panel wood door at the south end and a large wood picture window in the remaining area between the wing walls. A tiled wall is located under the picture window and a metal atom door is on the extense of the patie door. A flat root projecting sustained from the facade is supported by the tiled wing walls similar in the south togete. A concrute patie is focated in front of the south third of the façade.

Lyterior (altrottos 0004-0012)

The interior of the nouse is divided into times levels: the lower and upper levels, and a small mid-level. From the main public space all tyree levels can be viewed at the same time (see photos 0003-0011). The entry fryer of the house is located off the carport it time a lower certing and a tiled floor. A kitchen is located off the north wall of the floyer and a large study is located off the southwest corner of the floyer (to the south of the range). A closel is located in the south half of the east wall, the north real of the east wall is open to the main public area that is two stories tall. The south and east wall of the floor extends into the main living ones as a rath that leads to three steps that access the mid tavel (photo 0004).

The main public living area is a two story volume silvided into three paids. There is a citiling area in the northern third of the appear at the main level (beckground of photo 6000s and middle of photo 6004s), a cining area with finipline and books in the space at the mid level (mid-ground of photo 6000 and tower half of photo 6011), and another string area in the southern third of the space at the second level (background of photo 6008 and foreground of photo 6009). All of the thirdnessels of the main living area are covered in tiles. The patio door and will have the two story window, the high on the well below the windows. The south wall have the patio door and windows at the second level alting occur with large plature windows high in the wall about a set of store from the mid-level to the second level fleft side of photo 6008).

A half yell, also tiled, separates the main local from the mid level the mid level from the second level (seen in photo 0010). A filed half wall also femics the outside wall of the staincase, which has nine steps, to the second level (photo 0010). The tree of the step half seen half wall that forms a balcony separate space than the photo of the wall. The was wall is sold and is a helf wall that forms a balcony separating the public space from the photo bedroom or the balcony wall is sold and is compased of wood panets (upper left hand comer of photo 0005). The mothern and or the balcony that a large window above the well to separate a bedroom from the sitting apa before (upper left hand comer of photo 0005). The mid level dining apage has maybe the most armitectural features in the space. A frequency is a fine wast wall at the unimasection with the dining apage bas maybe them (photo 0011). The south wall of the dining space has built-in whose that the stains space has the fleet of the built in shelving exact has built-in the space that the dining space's seat wall (seen on right side of photo 0010). The floors throughout the main living area are construct in house are covered with new wood flooring. Ceilings (hroughout the house are covered in plaster.

The kilchen is a narrow room with tiles wells and new wood flooking. The original metal originals are located along the east wall of the kilchen (photo 0005). The study, located south of the carport, has tiled exactlot walls and built-in closests and proteinthives all trimmed in wood on its east well. A modern built-norm is located off the southwest comer of the study and talk is porcelled tile. See photo 0000.

(Expires 5/31/2012)

Jackson House
Name of Property

LaPorte County, IN
County and State

A single step leads from the upper level sitting area in the main living space to the balcony and bedroom area. A closet is located off the south wall of the balcony. The balcony's west wall has a bedroom door at its south end, followed by another bedroom door, then a bathroom door near its north end. The balcony's north wall has a door to a large bedroom located on the front of the house (photo 0012). The balcony slightly wraps the tiled chimney from the fireplace below to form a small sitting area (foreground of photo 0008). The balcony's north, south, and west walls and its ceiling have plaster finish. The flooring throughout the second level balcony and bedrooms is original southern yellow pine planks. The second level bathroom has plaster walls, ceilings, and newer flooring. A single casement window is located on each side of the lavatory in the exterior wall. Original cabinets are located on the west half of the south wall (left side of photo 0007). The bathtub appears to be original, with a modern shower enclosure; it is located on the east half of the south wall.

Other original interior features include wide wood casings around doors, windows, and other openings. Interior doors are five panel wood doors except for closet doors which are louvered wood bi-fold doors. Most door hardware is original and includes disc-shaped brass knobs. Plastered walls have simple wood baseboards. Ceilings have simple flat cove moldings laid flat against the ceiling plane in two layers. A louvered chase is located along the north side of the chimney and is constructed out of wood (right side of photo 0008). Recessed can lighting is used throughout the house.

United States Department of the Interior
France Park Service / Retional Register of Historic Places Registration Forth
Mile Form 10-way
Centre for 10-way

KIND OF BUILDING

Jackson House

Number of Property

LaPorte County, IN.

A single step leads from the upper level sitting area in the main living space to the baldoony and badroom area. A closed is lected off the south wall of the baldoony. The baldoony's west well has a badroom door at its couth end, followed by another bedroom door, then a baltroom door near its neith end. The baldoony's north wall has a door to a large bedroom lobstod on the front of the house (piroto 0012). The baldoony a north, south, and west walls and its ceiling have plaster finesh. The flooring throughout the second level balcoony and bedrooms is original pouthern yellow pine plants. The second fevel baltroom has plaster wells, cellings, and newer flooring. A single casement wholev is located on each side of the tavatory in the extent wall. Original cellines and located on the west half of the south wall (left side of photo 0007). The bathtub appears to be original, with a modern shower enclosure; it is located on the cest half of the south wall.

Other original interior features include wide wood casings around doors, windows, and other openings, Interior doors are five panel wood doors except for closet doors which we followed wood wood doors. Most door nertwere is original and includes discoursed bruis knobs. Flastered walls have simple wood baseboards. Callings have simple fist cover moldings led flat against the calling plane in two layers. A louvered chose is located along the north side of the channey and is communited out of wood (right eith of photo 0008). Recessed can lighting is used throughout the house.

Jackson House

(Expires 5/31/2012)

LaPorte County, IN

Name of	Property	County and State
8. Stat	ement of Significance	
(Mark "x	able National Register Criteria ' in one or more boxes for the criteria qualifying the property nal Register listing.)	Areas of Significance (Enter categories from instructions.)
		ARCHITECTURE
A	Property is associated with events that have made a significant contribution to the broad patterns of our history.	
В	Property is associated with the lives of persons significant in our past.	
x C	Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high	Period of Significance
	artistic values, or represents a significant and distinguishable entity whose components lack individual distinction.	1938
D	Property has yielded, or is likely to yield, information important in prehistory or history.	Significant Dates
	ia Considerations " in all the boxes that apply.) rty is:	Significant Person (Complete only if Criterion B is marked above.)
A	Owned by a religious institution or used for religious purposes.	
В	removed from its original location.	Cultural Affiliation
L c	a birthplace or grave.	
D D	a cemetery.	
E	a reconstructed building, object, or structure.	Architect/Builder Wright, John Lloyd
F	a commemorative property.	-,
G	less than 50 years old or achieving significance within the past 50 years.	

# Period of Significance (justification)

The period of significance is the year of construction, 1938. Since the property is architecturally significant and had no architecturally significant changes, its period of significance ends in 1938. The Jackson House has continued to serve its function as a vacation home from the time it was constructed to this present time.

	Name of Property
a	

The period of significance is the year of construction, 1938. Since the property is architecturally significant and had no architecturally significant changes, its period of significance ends in 1936. The Jackson House has continued to serve its function as a vacation from from the time it was constructed to this present time.

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN
County and State

Criteria Considerations (explanation, if necessary)

Not applicable

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance and applicable criteria.)

The Jackson House is eligible under National Register Criterion C. Architecturally the house represents the work of an accomplished and nationally known architect, John Lloyd Wright. It retains its architectural design features and integrity. As the work of a master, John Lloyd Wright, it qualifies under Criterion C. The house derives its importance under Architecture for area of significance as a locally exceptional example of the International Style. The property meets the associative and physical qualities specified in the registration requirements of the John Lloyd Wright in Northwest Indiana Multiple Properties Documentation Form.

Narrative Statement of Significance (Provide at least one paragraph for each area of significance.)

#### **ARCHITECTURE**

John Lloyd Wright & the International Style

When John Lloyd Wright struck out on his own architectural career and moved from his Oak Park, Illinois residence to Long Beach, Indiana the lakeside community was only a few years old. The only son of Frank Lloyd Wright who chose to work for his father was well-equipped with his own talent to begin a successful career as an architect to the affluent. Long Beach, Indiana had developed as a lakeside resort community for affluent business and community leaders of Chicago and Indianapolis. John Lloyd Wright established his studio in the heart of Long Beach and became the recipient of several commissions to design homes at first influenced by popular styles of the day but eventually conforming to his own style. The first half of his career was spent at Long Beach developing himself as an architect.

Lowell E. and Paula G. Jackson no doubt were well aware of the work Wright had created in Long Beach when they contacted him to design his own retreat. The Jacksons purchased the lot in 1938. Lowell Jackson was a division manager for Sears, Roebuck & Co. Jacksons owned the home only a few years before they sold it to Earl St. Pere and his wife in 1942. The Jackson House became Wright's eighth home designed in Long Beach and it was just two doors east of one of his better known works "Shangri-La" completed just a year prior. Wright's residential work leading up to the Jackson House had shown the Prairie Style as an over-riding influence in his design. Wright received a commission to design the Long Beach Town Hall and Coolspring School near Michigan City in 1931 and 1938 respectively. Both of these designs reflected Wright's desire to apply the International Style. In the Jackson House Wright was able to embrace the International Style fully and the result was genius.

Having grown up at the feet of the father of the Prairie Style, it is understandable that the Prairie Style would influence John Lloyd Wright so deeply. When John Lloyd Wright and his wife Hazel traveled to Europe in 1930 he was able to view first hand the work of Le Corbusier and other proponents of the International Style and it developed into a desire to produce work of this emerging style when he returned to Long Beach. The Long Beach Town Hall was his first use of the principles of the style. By the time the Jackson House was designed Wright was in full practice of the guiding principles of the International Style. This is evident not only in his arrangement of exterior features creating planes and volumes, but probably most evident in his organization of interior space.

Wright's use of 12" square clay tiles for wall construction both inside and out and his expansive use of glass as it relates to certain volumes of the house also convey the modern principle of a blurred line between the inside and outside. This is enhanced by his decision to create wing walls that frame large areas of glazing. The wing walls pull the house apart with large tiled planes intersecting wall planes covered with wood siding, emphasized by narrow windows creating a distinct gap between the planes. The exterior balcony also creates that plane separation between the levels as it pulls the upper level floor plane out of the house. It should be noted further that the Jackson House, also called the House of Tile, is the only creation of Wrights' known specifically for the material from which it is constructed. While in either the upper or lower level sitting spaces of the main living area, the occupant experiences the outdoors so immediately and close-up that Wright's principle of the blurred line is achieved with great success. Because of the treatment of the tiled wing walls entering the house from the outside and enveloping the main living area, and forming half walls to create separation between levels,

Carpinal Data (Carpinal

Report Hodes

County and State

County and State

Criteria Considerations (explanation, if necessary)

Not spplicable

Statement of Significance Summary Paragraph (Provide a summary paragraph that includes level of significance and semilicable criteria.)

The Jackson House is eligible under National Register Criterion C. Architecturally the house represents the work of an accomplished and nationally known architect, John Lloyd Winght. It reugns its entitlectural design features and integrity As the work of a master, John Lloyd Winght. It qualifies under Criterion C. The inture derives its importance under Architecture for area of significance as a locally exceptional example of the international Style. The property meats the associative and physical qualities aspecified in the registration requirements of the John Lloyd Wright to Northwest Indiana Multiple Properties Documentation Form.

Narrative Statement of Significance (Provide at least one passgraph for each area of significance.)

#### ARCHITECTURE

John Lloyd Wright & the International Style

When John Hoyd Wright struck out on his own architectural career and mixed from his Oak Park, Illinois residence to Long Baser, Indians the lateside community was only a few years old. The only son of Frank Lloyd Wright who chose to work for his father was well-equipped with his own talent to begin a subcassful career as an architect to the effuent. Long Beach, Indiana had developed as a lateside resort community for affluent bysiness and community leaders of Chicago and Indianapolis. John Lloyd Wright astablehed his studia in the freeh of Long Beach and became the raciplent of several commissions to design traines at that influenced by popular styles of the day but eventually conforming to his own right.

The first half of his career was spent at Long Beach covarious infinised as an architect.

Lowell E. and Paula G. Jackson no doubt were well aware of the work Wright had created in Long Beach when they contacted him to dusign his own retreat. The Jacksons purchased the lot in 1938. Lowell Jackson was a division manager for Sears, Ropbuck & Co. Jacksons dwined the home only is tow years before they sold if to Bert St. Pere and his wife in 1942. The Jackson House occars which home designed in Long Beach and II was just two doors east of one of the better known works "Shangri-La" completed just a year prior. Wright's residential work leading up to the Jackson House had shown the Prants Style as an over-right influence in his design. Wright received a commission the design the Long Beach Town half and Cooleging School must Michigan Chy in 1931 and 1933 respectively. Both of these designs reflected Wright's desire to apply the International Style. In the Jackson House Wright was able to embrace the international Style fully and the result was genues.

Having grown up at the feet of the father of the Prairie Style, it is understandable that the Prairie Style would influence total. Love When so deaply. When John Lloyd Wright and the wide Hazel travaled to Europe in 1930 he was able to view first hand the work of Le Consuster and other proponents of the international Style and it developed into a deafte to produce work of this emerging style when he returned to Long Brazel. The Long isspon Town Hall was his first use of the principles of the style. By the time the Jedison House was designed Wright was in full practice of the quality principles of the international Style. This is evident not only in his energement of extentor features creating plants and volumes, but probably most evident in his organization of interior space.

Winghi's use of 12" equate day files he wall construction both invide and out and his expansive use of glass as it relates to certain volumes of the house also convey the modern principle of a bilance bline between the inside and outside. This is enhanced by his decision to create vong walls that frame range great of glazing. The wing walls pull the house apart with large titled planes followed the planes covered with wood adding, emphasized by narrow sordows creating a distinct gentlesseen the planes. The extends beloony also creates that plane separation between the levels as it pulls the upper level floor plane out of the house. It should be noted buffer that the Jackson House, also called the House of Tile, it this only creation of Whights' known specifically for the melerial from which it is constructed. While in either the upper or lower level sitting sprays of the main flung area, the occupant experiences the outdoors so immediately and close-up that Wright's charge of the blurred line is achieved with great success. Secures of the meant of the flud wing wells entering the house from the outside and enveloping the mean living area, and forming half walls to create separation between levels, herein

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN
County and State

even when the occupant is at the mid level dining space they feel a kinship with the exterior, particularly given that the two story volume is framed by glass walls to its north and south. The interior balcony emphasizes the upper level plane, as the window between the front bedroom and the living area helps to de-emphasize the vertical wall plane separating the spaces.

Wright became particularly well-known for his ability to design sensitively into the topography of the sand dunes that characterized the Long Beach community. His designs often straddled dune ridges, or played to their scale with varying interior levels. Carefully wedged into the north face of a sand dune ridge, Wright designed the Jackson House to take advantage of its location for a view toward the lake (north side) while providing outdoor living space on the south side of the house. This was accomplished by locating the primary interior rooms with views out to Lake Michigan from the north side of the house; the main level is slightly elevated from the road providing the necessary view. At the same time, Wright backed the south side of the house to the top of the ridge to allow the upper level grade access to outdoor living space on the south and part of the east sides of the house. The house's careful placement into the landscape and the natural features that were retained, including native vegetation, create the Jackson House as a hallmark of John Lloyd Wright's integration of house and topography.

Registration Requirements

The Jackson House meets the registration requirements of the John Lloyd Wright in Northwest Indiana Multiple Properties Documentation Form because it is a documented John Lloyd Wright work and it retains good physical integrity. The house is featured in a book on John Lloyd Wright based on research of Wright's archives held at the Chicago Historical Society. Very little of the house has been modified from Wright's 1938 design and changes that were made do not negatively affect the overall significance of the property. Primary changes to the house include new flooring in a majority of the spaces, a modern bathroom in a former utility space on the main level (off the study), and new casement windows and storm doors installed. The installation of new casement windows did not alter the original window opening and the windows matched the configuration of the historic windows. Not all windows have been replaced. Metal storm doors were installed over historic wood patio or exterior doors.

Important exterior features that remain intact include the general composition of architectural features on the house that include the wing walls and their flat roofs, window bay, carport, balcony, wood siding and trim, and unpainted tiled walls. Important interior features that remain intact include the uncompromised large living area, wall and ceiling finishes, interior tiled walls, door hardware, kitchen cabinetry, built-in book shelves, the fireplace and staircases. It does not appear any new wall construction has occurred in the house. The unchanged nature of the site is also an important feature. The landscaping, patios, steps, and general topography appear to be as designed by the architect. The site also has not been subdivided and the views out of the site have remained largely intact, particularly to the north (lake) side.

# Developmental history/additional historic context information (if appropriate)

Refer to John Lloyd Wright in Northwest Indiana Multiple Properties Document for additional contextual information on John Lloyd Wright and the Lake Michigan resort community of Long Beach, Indiana.

#### 9. Major Bibliographical References

Bibliography (Cite the books, articles, and other sources used in preparing this form.)

Caron's Michigan City Directories. Caron Publishing Company, Chicago.

John Lloyd Wright Archives of the Chicago Historical Society, 1601 North Clark St., Chicago

<u>LaPorte County Interim Report, Indiana Historic Sites and Structures Inventory</u>, 1989. Historic Landmarks Foundation of Indiana, publisher.

Stodola, Barbara. Michigan City Beach Communities, 2003. Arcadia Publishing, Chicago.

Van Zanten, Ann & Chappell, Sally. <u>Barry Byrne & John Lloyd Wright Architecture & Design</u>, 1982. Chicago Historical Society, publisher

(Caption 1987 (2011))

Jackson House

LaPorta County, Its County and State

even when the occupant is at the mid level dining space they feel a Idnship with the exterior, particularly given that the two story volume is framed by glass walls to its north and south. The interior belocing compliances the upper level plane, as the window between the front bedroom and the living area helps to de-emphasize the vertical will plane superating the spaces.

Wright became perticularly well-known for his ability to design secutively into the topography of the sand dunes that characterized the Long Basch community. His designs often stradilled dune ridges, or played to that scale with varying interior levels. Carefully wedged into the north face of a sand dune ridge, Wright designed the Jackson House to take enventage of its tocation for a view toward the lake (north side) while providing outdoor living spino on the south side of the house. This was sociamplished by locating the primary interior norms with views out to Lake Michigan from the north side of the house to the top of the ridge to allow the upper lives grade access to outdoor living space on the south and part of the house to the top of the ridge to allow the upper lives grade access to outdoor living space on the south and part of the sout sides of the house's careful placement into the landscape and the natural features that were retained, including netwo vegetation, create the Jackson Floure as a hailmark of John Lloyd Wright's integration of house and topography.

### Registration Requirements

The Jackson House maste the registration requirements of the John Llayd Wright in Northwest Indiana Multiple Properties Documentation Form because it is a documented John Lloyd Wright work and it relates good physical integrity. The house is beginned in a book or John Lloyd Wright housed on research of Wright's archives held at the Chicago Historical Society. Very title of the house has been modified from Wright's 1938 design and changes that were made do not negatively affect the overall significance of the property. Primary changes to the house include new fooding in a majority of the spense, a modern between the stranger willty apace on the main level (off the study), and new designed will down and storm doors installed over the distribution of the historic windows. Not all windows have been replaced. Matal storm doors were installed over metalle wood page or estand doors.

Important exterior (eatures that remain inted include the gameral composition of architectural features on the house that include the wing walls and their flat roots, window bey, curport, beldony, wood citing and thin, and ungained field walls. Important interior features that remain interior include the uncompromised large living area, wall and utiling finishes, interior fled walls, door hardware, kitchen catinetry, built-in book sitetives, the fireplace and claimasse. It does not appear any new wall construction has occurred in the loves. The quotanged nature of the site is also an important feature. The landscaping, paties, stape, and general topography appear to be at usalgner by the architect. The site also has not been subjected and the ways out of the site site have remained targely intact, particularly to the notificial side.

Sevelopmental history/additional historia contex toleronation (if appropriate

Refer to John Lieyd Wright in Northwest Indians Melligio Properties Document for additional contextual information on John Lleva Wright and the Leve Michigan resert community of Long Beach, Endland.

#### 9. Major Bibliographical References.

Bibliography tola inchese artein, net piler annes ined in prepired this form.)

Carron's Michigan City Directories Caron Publishing Company, Officence.

John Llove Wright Auchives of the Chicago Vistorius Society, 1901 Month Clark St. Chicago

LuPorte Churb Interim Raport, Indiana Historic Sites and Structures Inventory, 1989. Historic Landmerks Foundation of

Straints Burbarra, Militation City Report Communities, 2003. Avendu Publishing Chileges.

Van Zanten, Ann & Chappell, Selly. Berry Byrne & John Lloyd Wirdth Architecture & Deplan, 1982. Chiqqqo Historical Society, publisher

(Expires 5/31/2012)

Jackson Ho					LaP	orte County, IN
Name of Property				Coun	ty and State	
Wright, Joh	ın Lloyd. <u>My Fat</u>	her Who is on Earth, 1946. G. I	P. Pı	utnam's (	Sons, New York, pu	blishers
	umentation on file				ry location of additiona	
prelimina	ry determination of i	ndividual listing (36 CFR 67 has been		State Historic Preservation	n Office	
requeste previous	d) ly listed in the Nation	nal Register			Other State agency Federal agency	
	ly determined eligible ed a National Histori	e by the National Register			ocal government Jniversity	
recorded	by Historic America	n Buildings Survey #			Other	
		n Engineering Record # n Landscape Survey #		Name	of repository:	
		1				
Historic Re	sources Survey	Number (if assigned): 091-405	-230	05		
10. Geogr	aphical Data					
Acreage o	f Property A	oprox 25 acre				
	de previously listed r					
UTM Refe	rences					
(Place addition	onal UTM references	on a continuation sheet.)				
1 16	513327	4622244	3			
Zone	Easting	Northing	3	Zone	Easting	Northing
			4			
Zone	Easting	Northing	4	Zone	Easting	Northing
		•				
Verbal Bo	undary Descrip	tion (Describe the boundaries of the	prope	ertv.)		
2.0	<b>9</b> 07 (29)					B. C. C. C. C. C. C.
Beginning	at the northwest	property corner of 2935 Ridge	Roa Foos	id, on the	e south side of Ridge Road, on the south	side of Ridge Road. Turn south
and contin	ue in a line south	n approximately 140' to the sou	ithea	st proper	rty corner of 2935 R	idge Road. Turn west and
continue in	a line west app	roximately 100 feet to the south	nwes	t propert	y corner of 2935 Ric	dge Road. Turn north and
of beginnir		ne northwest property corner of	1 293	ss Riage	Road, at the south	side of Ridge Road, or the place
		Explain why the boundaries were selec	tod \			
			9,723			
The above	boundary descr	ribes the property known as the	Jac	kson Ho	use, or House of Til	e, including its landscaped lot, time of construction of the house
in 1938.	ea by John Lloya	Wright. The boundaries of the	s pro	perty ren	nam intact nom the	unie of constituction of the house
		*				
11. Form	Prepared By					
name/title		SO NW				
•	0	Preservation, Inc.			_ date <u>May 31, 20</u>	
	umber <u>12954 6</u>	" Road			telephone _574-	
city or tow	n Plymouth		state <u>IN</u>	zip code 46563		

Jackson House

LaPorte County IN County and State

Wright, John Lloyd, My Father Who is on Earth, 1946. G. P. Pulnam's Bons, New York, publishers
Acrosge of Property Approx. 25 acros (De not Inducts previously falled resource acrosge.)
UTM References (Page adolleral UTM reference on a contraction shoet.)
1 16 S13327 6522244 3 Zone Easting Northing
Beginning at the northwest properly domer of 2935 Ridge Road, on the south side of Ridge Road, continue in a line obstace approximately 100 feet to the northeast property corner of 2936 Ridge Road, on the south side of Ridge Road. Turn south and continue in a line west expressmately 140 to the southeast property corner of 2935 Ridge Road. Turn west and continue in a line west approximately 100 feet to the southwest property corner of 2935 Ridge Road. Turn north and continue in a line north to the northwest property corner of 2835 Ridge Road, at the south side of Ridge Road, or the place of beginning.
Soundary Justification (Scales why the boundaries were selected.)
hame/Bite   Nurt   Wast Garner
organization Permare in Preservation, Inc. date May 31, 2011

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN County and State

e-mail

kwgarner@kwgarner.com

## **Additional Documentation**

Submit the following items with the completed form:

Maps: A USGS map (7.5 or 15 minute series) indicating the property's location.

A Sketch map for historic districts and properties having large acreage or numerous resources. Key all photographs to this map.

- **Continuation Sheets**
- Additional items: (Check with the SHPO or FPO for any additional items.)

## Photographs:

Submit clear and descriptive photographs. The size of each image must be 1600x1200 pixels at 300 ppi (pixels per inch) or larger. Key all photographs to the sketch map.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

Front façade, facing south

1 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0002

0001

West façade, facing northeast

2 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN County and State

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0003

South façade, facing northwest

3 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0004

Foyer, facing northeast to living area

4 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0005

East wall of kitchen, facing northeast

5 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0006

Study, facing northeast

6 of 12.

Jackson House

aiPorte County, IN

Bho Saul

Photographer, Kurt West Gurner

LINE AL NEW TESTINES TOUR ONE

Description of Photograph(s) and number:

Trius.

Vame of Property: Jackson House

Ohy or Vicinity Long Scapt

Control (Table)

Photographen: Kurt Wast Garner,

Date Photographed: May 19, 2011

Description of Photographie) and number

Ch You have

Varne of Property: Jeckson Houses

City or Vicinity: Long Beach

county: Carrotte

Notographen Furt West Garner

Date Protographed: May 19, 2011

Description of Phatographs) and number:

OT 16-2

Name of Property Judicipon House

City or Violnity: Long Beach

The same of the sa

senson team and people persons

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

----

(Expires 5/31/2012)

Jackson House

Name of Property

LaPorte County, IN County and State

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0007

Bathroom, facing west

7 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0008

Sitting area in balcony, facing southeast

8 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number: 0009

Main living area from upper level sitting area, facing northwest

9 of 12.

Name of Property:

Jackson House

City or Vicinity:

Long Beach

County:

LaPorte

State: IN

Photographer: Kurt West Garner

Date Photographed: May 19, 2011

Description of Photograph(s) and number:

0010


Staircase from mid level, facing south

(Expires 5/31/2012)

Jackson House	LaPorte County, IN
Name of Property	County and State
10 of 12.	
Name of Property: Jackson House	
City or Vicinity: Long Beach	
County: LaPorte State: IN	
Photographer: Kurt West Garner	
Date Photographed: May 19, 2011	
Description of Photograph(s) and number: 001	1 Upper level sitting area to fireplace, facing south
11 of 12.	
Name of Property: Jackson House	
City or Vicinity: Long Beach	
County: LaPorte State: IN	
Photographer: Kurt West Garner	
Date Photographed: May 19, 2011	
Description of Photograph(s) and number: 00	12 Interior balcony, facing north
12 of 12.	
Property Owner:	v v
(Complete this item at the request of the SHPO or FPO.)	
name Lawrence & Sharon Porter	
street & number 2147 Scotch Pine Lane	telephone
city or town Northbrook	state IL zip code60062

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C.460 et seq.).

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Office of Planning and Performance Management. U.S. Dept. of the Interior, 1849 C. Street, NW, Washington, DC.






Jackson House Long Beach, LaPorte County, IN N


















The state of the s